

## Product information | TECHNICAL DATA SHEET

### METALLIC PAINT.

400 ml, 10.7 Oz, 304 g.

#### GENERAL DESCRIPTION

Acrylic, fast drying solvent-based paint, available in a range of metallic colors. Formulated with a high quantity of pearlescent pigment that give the paint a high quality, shiny appearance. Withstands exterior use. Ideal for any surface. Its finish is shiny and uniform.

#### FEATURES

- Very fast drying.
- Good elasticity.
- Easy to apply and recoat.
- Excellent adhesion.
- Does not contain lead.
- Good covering capability.
- Excellent gloss finish even without varnishing.
- Very good resistance to the sun and rain.
- Perfect results both indoor or outdoors.
- Can be varnished.

#### INSTRUCTIONS FOR USE

- Shake the can vigorously before use, for approximately one minute after hearing the sound of the mixer.
- On rusty metallic surfaces remove corrosion with a wire brush.
- On plastics like PS and PP apply a primer layer first.
- Apply thin coats for better results. 3 thin coats are better than 1 thick coat. Recoatable after ten minutes.
- Allows for subsequent varnishing.
- Hold the aerosol upside down after use to purge the valve. If the nozzle is bloc-ke-d, replace it with a new one.
- Ask for MSDS.

#### PHYSICAL PROPERTIES

Nominal capacity:	400 ml
Application temperature:	5 a 50°C
Completely dry:	2h
Dry to the touch:	10 min
Theoretical yield (continuous painting):	150ml: 0,75 m <sup>2</sup> 400ml: 2 m <sup>2</sup>
Heat resistance of paint:	<50°C

#### COLORS



#### CAUTION



#### APPLICATIONS

For painting, decoration and tuning automobiles, motorcycles, bicycles, skateboards, helmets, signage, advertising, etc.

Posterior varnish coat with our varnish range is recommended. In cases where parts are susceptible to being in contact with gasoline or chemical products, varnish with our 2K varnish.

#### APPEARANCE



#### LABEL



#### CAP SYSTEM



#### PACKAGING

Nominal capacity: 400 ml.  
Heat resistance of packaging: <50°C  
Propellant: DME

Box (6 units)  
205 X 140 X 200 mm.

